


Precision in Steel

Industrial valves according to our own construction

Manufacturing of replacement valves and apparatus



AMR-Industriebedarf

(Formerly known as Thyssen Bantam)

Our valves can replace your old valves of manufacturers that are no longer on the market or discontinued the equivalent line of products!

We can also replace cast steel valves with steel welded constructions.

We fulfill the optimal conditions regarding the terms of production - suitable machinery and qualified employees – and regarding the constructive know-how.

Our apparatus should help you to meet larger requirements.



Own construction

Flat Gate Valves

Dimensions:

- DN 100 bis DN 2000
- PN 1,0 bis PN 16

Body material:

- P265GH / 1.0425
- S235JRG2 / 1.0038
- 16 Mo 3 / 1.5415
- 13 CrMo4-5 / 1.7335
- Cast steel / 1.0619

Application areas:

- Cooling water, waste water
- Blocking of gases
- Energy production and energy distribution
- Petrochemistry and refinery
- Or other ...

Former manufacturer:

- Thyssen Bantam
- F. Landwehr & Co
- Preussag Armaturen
- Schilling Armaturen
- Westark GmbH Armaturenfabrik
- VAG Mannheim
- KSB
- Or other



Own construction

Round-Oval- and Round-Body Gate Valves

Dimensions:

- DN 100 bis DN 1200
- PN 10 bis PN 25
- DN 200 bis DN 800
- PN 40 bis PN 63

Body material:

- P265GH / 1.0425
- 16 Mo 3 / 1.5415
- 13 CrMo4-5 / 1.7335
- Cast steel
- Forged steel

Application areas:

- Medium and low-pressure pipes
- Coolingwater, Waste Water
- Steam
- Blocking of gases
- Energy production and energy distribution
- Petrochemistry and refinery
- Or other

Former manufacturer:

- Thyssen Bantam
- F. Landwehr & Co
- Preussag Armaturen
- Schilling Armaturen
- Westark GmbH Armaturenfabrik
- VAG Mannheim
- KSB
- Or other

Butterfly Valves



Own construction

Dimensions:

- DN 100 bis DN 1200
- PN 10 bis PN 40

Body material:

- P265GH / 1.0425
- 16 Mo 3 / 1.5415
- 13 CrMo4-5 / 1.7335

Application areas:

- Energy production and energy distribution
- Petrochemistry and refinery
- Liquids
- Or other

Former manufacturer:

- Adams
- Preussag Armaturen
- Schilling Armaturen
- VAG Mannheim
- KSB
- Or other

Swing Check Valves



Own construction

Dimensions:

- DN 100 bis DN 1000
- PN 10 bis PN 63

Body materials:

- P265GH / 1.0425
- 16 Mo 3 / 1.5415
- 13 CrMo4-5 / 1.7335
- Cast steel
- Forged steel

Application areas:

- Cooling water, waste water
- Other liquids
- Energy production and energy distribution
- Petrochemistry and refinery
- Or other

Former manufacturer:

- Thyssen Bantam
- F. Landwehr & Co
- Preussag Armaturen
- Schilling Armaturen
- Westark GmbH Armaturenfabrik
- VAG Mannheim
- KSB
- Or other

If your customer wants more than replacement valves, you can offer him
Filter (Here only a selection!)

Pot Strainer



Own construction

Material:

- Body in steel or stainless steel
- Filter element in stainless steel

Perforated Basket Strainer



Own construction or other

Material:

- Body in steel
- Perforated basket in stainless steel

Frame Filter Press



Own construction or other

Material:

- Body in stainless steel
- Filter plates in stainless steel

Container (Here only a selection!)

Distiller Tank



Own construction or other

Kettle with distiller column



According to your construction

Production facilities for apparatus:

Waste water treatment for cruise liners



According to your construction

Maximum weight: 10 000 kg/piece Maximum dimension: 3000 / 15 000 mm Maximum wall thickness: 20 mm